

# ZECA

TECHNICAL EXCELLENCE. SINCE 1929.

## HOSE REELS

SERIE 805


### ART. 805/10

Hose length (m)  
**16**

Hose internal diameter (mm)  
**10 mm (3/8")**

Tube type  
**KPU**


Maximum pressure  
**15 bar**



### TECHNICAL DATA

Article	Hose internal diameter (mm)	Hose length (m)	Cut length (m)	Maximum pressure	End fitting	Temperature	Incoming connection	Tube type	Color	Tube colour	Fluid type
<b>805/10</b>	10 mm (3/8")	16	1.5	15 bar	3/8" MBSP	-5 °C/+50 °C	NO	KPU	Yellow	BLUE	Air - Water

## OVERALL DIMENSIONS



## Technical features


- Available with KPU and FLEX hose.
- Technopolymer structure.
- Metal fixing bracket, adjustable.
- Automatic device to stop the tube at the desired length, which can be disconnected if necessary.
- Available in yellow or silver gray color.

OPTIONAL  
ACCESSORIES AND  
SPARE PARTS

**ART. 805/SR**

**Safety Return**

Safety Return allows the slow rewinding of the cable avoiding dangerous repercussions in case the cable gets out of hand to the operator.



**ART. 949/805-7000**

**Dispositivo antirotazione**

Dispositivo opzionale per rendere fisso, anziché orientabile l'avvolgitubo. Indispensabile per l'applicazione a soffitto.